8. Heating & Cooling

SECTION AT A GLANCE:

Heater Cores	362
Heater Valves	363
Heater Related	364
Heater Hoses & Related	367
Thermostats	369
Fresh Air	370
Fan Shrouds	372
Fans	373
Radiators	376
Radiator Related	
Air Conditioning	389





ALUMINUM DELUXE HEATER CORES

These aluminum deluxe heater cores are an alternative to the factory copper/brass originals. Fits just like the original. Will not fit standard heater systems.

1955-56	#17766	\$129.95/ea.
1957	#17767	\$129.95/ea.



NEW REPRODUCTION DELUXE HEATER CORES

These brand new copper/brass heater cores are a direct replacement for your rotted original. Wil not fit standard heater systems. Don't forget a new heater valve, on page 363 to make sure you do the job right!

1955-56	#12407	\$208.95/ea.
1957	#12408	\$208.95/ea.

DELUXE HEATER CONTROL BEZELS

If you want to convert your car to deluxe heating, this bezel is an important part of the assembly. For restorers who are renewing their dash, a crisp reproduction is a more economical alternative to polishing and replating.

1955-56	. #2557 \$99.95/ea.	
1957	. #11167 \$149.95/set	


DELUXE HEATER ASSEMBLY FASTENERS

To properly finish a rebuilt heater assembly use these original design fasteners. All the clips, sheet metal screws, and machine screws to do the job right.




1955-56	#1036A	\$5.95/set
1957 (Shown)	#1036	\$5.95/set





simply remove the clip from the new valve and replace it with your own original tube.

1955-56 Passenger Cars, 1955-58 Trucks	 	#014	\$74.95/ea.
1957 Passenger Cars			
1958-62 Corvette			




clip. If your valve had the temperature capillary tube and you want to keep it,

The heater core mounting plate is often corroded or missing. This plate is required when installing the heater core. For deluxe heaters only.

1955-56	#16951	\$16.95/ea.
1957	#16897	\$16.95/ea.

DELUXE HEATER LEVER PIN AND SPRING REPAIR KIT


This kit is used on deluxe heaters only and includes the pin that the control levers








1957 DELUXE HEATER CONTROL VALVE BLOCK-OFF PLATE 1957...... #17410....... \$6.95/ea.



This plate installs behind the heater lens and is sometimes missing.

1955-56	#15548	\$3.95/ea.
1957	#17411	\$4.95/ea.





EZ SLIDER DELUXE HEATER CABLES

EZ Slider cables feature a polyethylene lining which reduces resistance and provides maximum flexibility and instant response.

1955 (Shown)	#14953	. \$32.95/set
1956	#14955	. \$32.95/set
1957	#14957	. \$44.95/set

DELUXE HEATER CABLES WITH STEEL CASING

A little rust, one small kink and your original is shot! These quality steel cables will bring new life to the operation of your heater. 1957 application includes vent cable with casing.

1955	. #462	. \$29.95/set
1956		
1957 (Shown)		







#15988

1957 DELUXE HEATER BOX RETAINERS

1957	. #2253	.\$23.95/pr.
1957 Chrome	. #16950	.\$34.95/pr.

DELUXE HEATER CABLE CLIPS

For deluxe heater controls only.

1955-56 Double	#15026	¢6 50/02
1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	# 1 3 300	30.30/84.

Fits 55-56 deluxe heater control and 56-57 defroster lever on heater box.

1955-57 Straight Tab, Single #15987....... \$5.50/ea.

This cable clip set comes with four straight tab single cable and one double cable clip with screws.

1955-56 5-Piece......#15988...... \$24.95/set

1957 DELUXE HEATER **CONTROL CABLE RETAINER**

Cable retainers are often missing or broken. To order single retainer clip, order




part #15594 or part #15595 for the complete 4-piece set needed to handle all cables for deluxe heater control panel.

1957	#15594	\$5.50/ea.
1957 4-Piece	#15595	\$19.95/set




1957 HEATER HOUSING TO INNER FENDER RETAINER

1957......#2254......\$10.95/ea.



Included in Part #324 and #325 kits. Firewall to firewall plate seal. On deluxe heater cars, it goes between the heater bracket and the firewall. On standard or no heater cars, it goes between the firewall plate and the firewall.





DELUXE HEATER CONTROL LEVER KNOBS

These knobs are injection-molded black plastic. 1955 and '56's include mounting hardware; 1957 knobs push on without set screws. These are must-have items when replacing the heater levers, shown below.

1955-56, '55-56 Truck	. #612	\$11.95/set
1957 Best	. #955	\$20.95/set
1957 Good	#16800	\$14.95/set



DELUXE HEATER CONTROL LEVERS

These heater control levers are a perfect reproduction of the originals, except we beefed up the shaft where the knob attaches to help prevent them from breaking.

1955	#465	\$21.95/pr.
1956	#466	\$21.95/pr.



HEATER SEALS

New gaskets are a necessity when rebuilding your heater assembly. Ours are made from top quality rubber and are designed to last for years. 1955-56 sets include the defroster seal. 1957 applications will require the purchase of #796, 1957 heater defroster seal. Made in the USA.

1955-56 Standard Heater	#323	\$20.95/kit
1955-56 Deluxe Heater	#322	\$20.95/kit
1957 Standard Heater	#325	\$17.95/kit
1957 Deluxe Heater	#324	\$17.95/kit



POLISHED ALUMINUM DELUXE HEATER CONTROL KNOB SETS

The finishing touch to your billet dash or a great custom touch all by themselves. Replace your plastic knobs with these billet sets.


1955-56 4-Piece Billet	. #15585	. \$102.95/set
1957 5-Piece Billet	. #15584	. \$112.95/set



HEATER BLOWER MOTORS

These quality replacement motors bolt in place and func- DELUXE HEATER BLOWER SWITCHES tion just like the originals.

#2077\$33.95/ea.
1955-63 w/o Air Conditioning, w/o Fan (Shown)
#2078\$39.95/ea.



A reproduction of the original, these deluxe heater blower switches will get your heater working again like new. On part #10213 install wires with care to avoid damaging.

1955-56	#10213	\$39.95/ea.
1957	#10214	\$49.95/ea.




1957 DELUXE HEATER BLOWER MOTOR SHIPP

This seal, located between the heater blower and the heater transition assembly, is usually in bad shape and should be replaced when rebuilding the assembly. Made in the USA. 1957...... #327..... \$5.95/ea.



1957 HEATER BLOWER HOLE COVERS

1957 Cad Plated	#11234	. \$29.95/ea.
1957 Chrome Plated	#11235	. \$49.95/ea.



1957 DELUXE HEATER BLOWER MOTOR RESISTOR WITH ADAPTER HARNESS (WITHOUT AIR CONDITIONING)

If you are getting only one speed, or nothing at all, from your heater blower motor, this could be the problem.

1957......#16216......\$32.95/ea.



1957 HEATER MOTOR MOUNTING SCREWS

1957	#2888	\$8 95/cet
1 33 <i>1</i>	. π Ζ ΟΟΟ	90.33/361

#14744













Performance Stainless Steel products are Made in the USA of ultra-high quality 304 stainless and keep their beauty way beyond chrome or aluminum. They have an unmistakable ultra smooth finish that is highly resistant to rust, pitting and discoloration.

STAINLESS HEATER HOSE FITTINGS

1955-57 Hex,	•		#14744	-
1955-57 Hex, 1955-57 Hex,			#14745 #14746	· -
1955-57 Hex,	3/4" ID x 2-7/8",	1/2" NPT	#14747	\$19.95/ea.
1955-57 Hex,	5/8" ID x 1-3/4",	1/2" NPT	#14748	\$23.95/ea.
1955-57 12-Pt.	5/8" ID, 1-3/4",	1/2" NPT	#14750	\$15.95/ea.
1955-57 12-Pt.	5/8" ID x 2-7/8",	1/2" NPT	#14751	\$19.95/ea.
1955-57 12-Pt.	3/4" ID x 1-3/4",	1/2" NPT	#14752	\$15.95/ea.
1955-57 12-Pt.	3/4" ID x 2-7/8",	1/2" NPT	#14753	\$17.95/ea.
1955-57 45-Deg.	5/8" ID x 1-3/4",	1/2" NPT	#14756	\$34.95/ea.
1955-57 90-Deg.	5/8" ID x 2-1/8",	1/2" NPT	#14757	\$34.95/ea.
1955-57 90-Deg.	5/8" ID x 1-3/4",	1/2" NPT	#14758	\$34.95/ea.
1955-57 90-Deg.	3/4" ID x 1-3/4",	1/2" NPT	#14759	\$34.95/ea.
1955-57 90-Deg.	3/4" ID x 2-1/8",	1/2" NPT	#14760	\$34.95/ea.
1955-57 2-Piece	5/8" ID x 1-3/4",	1/2" NPT	#15301	\$38.95/pr.
1955-57 2-Piece	5/8" ID x 2-1/8",	1/2" NPT	#15302	\$38.95/pr.









#14759 #14760







#14773











STAINLESS HEATER HOSE FITTING SETS

1955-57 Hex, Contains (2) 5/8" ID x 1-3/4" & (2) 1/2" Plugs (Shown)	. #14773	\$41.95/set
1955-57 Hex, Contains (1) 5/8" ID x 1-3/4", (1) 5/8" x 2-7/8" & (2) 1/2" Plugs	. #14774	\$43.95/set
1955-57 12-Pt. Contains (2) 5/8" ID x 1-3/4" & (2) 1/2" Plugs (Shown)	. #14775	\$41.95/set
1955-57 12-Pt. Contains (1) 5/8" x 1-3/4", (1) 5/8" x 2-7/8 & (2) 1/2" Plugs	. #14776	\$49.95/set
1955-57 Hex, Contains (1) 5/8" ID, x 2-7/8" & (1) 5/8" ID x 1-3/4", 1/2" NPT	. #14749	\$27.95/set
1955-57 12-Pt. Contains (2) 5/8" ID x 1-3/4", 1/2" NPT	. #14754	\$28.95/set
1955-57 12-Pt. Contains (1) 5/8" ID x 1-3/4" & (1) 5/8" ID x 2-7/8", 1/2" NPT	. #14755	\$31.95/set













#14767

					115
STAIN	NI FSS	SOCKET	HFΔD	PHILIGS	W17

STAINLESS SOURET HEAD I LOUS	~ III V ~	
1955-57 1/2" NPT	. #14769	\$6.95/ea.
1955-57 3/8" NPT	. #14770	\$5.95/ea.
1955-57 1/4" NPT		•
1955-57 1/8" NPT		•
1055_57 3///" NDT		•

STAINLESS 12-POINT PLUG

1955-57	1/2"	NPT	 #1476	8	\$10.95/ea.

STAINLESS HEX PLUG

1955-57 1/2" NPT #14767 \$9.95/ea.

ADJUSTABLE

FAN THERMOSTAT

For use with electric fans. Probe mounts in stock drain plug hole on the radiator. Adjustable temp makes sure the fan runs when needed.

AII......#085.......\$43.95/ea.


ADJUSTABLE THERMOSTAT HARNESS

For use with part #085, adjustable fan thermostat. AII......#085A.......\$49.95/ea.



ORIGINAL STYLE HEATER HOSE KITS WITH RIBS

These are original style hoses with the ribs and GM mark-Kit includes ings.



1955-56 V8	#11237	\$39.95/kit
1955-56 6-Cyl	#11238	\$39.95/kit
1957 V8	#11239	\$39.95/kit
1957 V8 w/ A/C	#11240	\$39.95/kit
1957 6-Cyl	#11241	\$39.95/kit



INNER FENDER HEATER HOSE CLAMPS

These solid, heavy stainless steel clamps are polished to a high luster and include stainless steel Allen head screws. 1955-57 Plain..........#2511.......\$19.95/ea. 1955-57 Slotted #2512...... \$19.95/ea.



Flexi-Cool hose kit is made of ribbed stainless steel which won't freeze or crack. Flexi-Cool hoses ribbed design improves cooling which helps prevent overheating and possible engine damage. Hoses can be formed to any angle or length while reducing installation time and maintenance costs. Kits include two 44" hoses. Makes two hoses. Dress caps and Flexi-Kool Radiator hoses are shown on page 387.

All 44", Chrome w/ Chrome Caps .. #12414.......\$64.95/kit

HEATER HOSE BRACKET

This beautiful chrome bracket suspends the heater hoses above the

exhaust manifolds to protect the hoses

from heat damage, and gives the engine compartment an organized appearance too. Brackets can be used individually or in pairs, depending upon the application. Some engines with air conditioning systems use only one bracket.

All.....#1963......\$6.95/ea.

1957 HEATER HOSE BRACKET

This bracket installs under the battery box and keeps the heater hoses from the water pump and from the thermostat housing neatly routed in the engine compartment.



1957......#1211......\$6.75/ea.



INTAKE MANIFOLD FITTINGS

1955-56 5/8"	#10066	.\$17.95/ea.
1957 3/4"	#12225	\$16.95/ea.

INTAKE MANIFOLD **HEATER HOSE FITTING**

This beautiful corrosion resistant chrome fitting adds a distinctive detail to any engine. For use on small and big block intake manifolds.

All V8, 5/8" Hose, 1/2" NPT...... #1962.......... \$7.50/ea.









#093



TEMPERATURE SENDING UNITS

Original design in fit and function.

1956	 #093	\$31.95/ea.
1957	 #094	\$29.95/ea.



STAINLESS THERMOSTAT SWIVEL HOUSINGS

All 15°, Satin (Shown)	. #14777	. \$154.95/ea.
All 15°, Polished (Shown)	#14778	. \$179.95/ea.
All 45°, Satin	#14779	.\$154.95/ea.
All 45°, Polished	#14780	. \$179.95/ea.
All Straight, Satin	#15299	.\$114.95/ea.
All Straight, Polished	#15300	.\$139.95/ea.
All Straight, Polished	#15300	. \$139.95/ea.





THERMOSTATS

All	#081	\$14.95/ea.
All 160°		
All 180°		•
All Gasket		•

BILLET SPECIALTIES SWIVEL THERMOSTAT HOUSINGS

All 90°, Polished		. #17091	\$92.95/ea.
All 15°, Polished		. #17092	\$92.95/ea.
All 45°, Polished		. #17093	\$92.95/ea.
All 90°, Black	MENN	#19374	\$84.95/ea.
All 15°, Black	PRODUCT	. #19375	\$84.95/ea.
All 45°, Black	4	. #19376	\$84.95/ea.
All 90°, Black All 15°, Black All 45°, Black	_		



The wire insulator covering is usually charred or missing. Replace this key detail item and save yourself from fried wiring.



AII.........\$4.50/ea.



POLISHED, SWIVEL ALUMINUM THERMOSTAT HOUSINGS

All 15° Swivel	#12505	\$14.95/ea.
All 45° Swivel	#12124	\$14.95/ea.
All 90° Swivel	#12125	\$15.95/ea.

THERMOSTAT HOUSING O-RING

Replacement O-ring for all stainless thermostat housings.

AII......#15306.......\$3.50/ea.



LOWER THERMOSTAT HOUSING GASKET

All 235 6-Cyl	#17886	\$2.95/ea.
---------------	--------	------------

WATER OUTLET STUD KIT

These are the two studs for the thermostat housing on V8 engines with the factory Dual 4-bbl carbs or Fuel Injection.



1956-61 F. I. & 2 X 4BBL#18934......\$7.95/kit


STAINLESS WATER NECK **BOLT KITS WITH BOWTIE**

All 45°, SB #14289....\$5.95/kit All Hex #14003.\$12.95/set All 90°, SB



All 12-pt.

......#14290....\$4.95/kit#14004... \$9.95/set





FRESH AIR VENT CONTROL CABLES

These are used to open the fresh air vents on cars that were equipped with the standard recirculating heater and include the knob. Two required per car.

1955 w/ Smooth Knob	#10435	\$66.95/nr
1956 w/ Ribbed Knob.		•
1957		•



FRESH AIR VENT ASSEMBLY WITH CABLE

These fresh air vent assemblies come as a pair complete with cables. They will work for both 1955 and 56 but the knobs are only correct for 1956. The 1956 cable used a ribbed knob, the 1955 used a smooth knob. (Use Danchuk #14035 vent cables for a correct 1955 installation.)

1955-56#16036..... \$124.95/set



These are the vent grills that mount under the dash on the firewall. Sold in pairs.





1957......#17778......\$59.95/pr.



1957 FRESH AIR DUCT CABLE RETAINERS

Use these spring steel clips to correctly connect the fresh air cables to your vent assembly.

1957......#1204.......\$3.95/set



1957 FORWARD IN FENDER FRESH AIR DUCT

This is a reproduction of the original fresh air duct that mounts inside the front fenders of 1957's. Fits driver or passenger sides. Two required per car.

1957.....#16875....\$189.95/ea.



1957 AIR DUCT DRAIN TUBE

This tube bolts into the underside of the air ducts and runs forward through the drain tube grommets mounted in the front splash pan. They drain water out of the fresh air ducts.

1957......#12605......\$18.95/ea.



1957 AIR INLET HOSE

Fits between heater blower and outside air duct.

1957 Original, 4-1/2"..... #10851...... \$17.95/ea.



1957 AIR INLET DRAIN TUBE **GROMMETS**

These mount in the front spash

pan on either side and the air inlet drain tubes go through them. These keep the air inlet drain tubes from rattling. 1957......#334......\$4.95/pr.




VENT CABLE TO DASH SCREW AND WASHER KIT

Original clutch head design.



KICK PANEL VENT DOOR SEALS

1955-56 \$12.95/set



1957 FRESH AIR VENT SEAL KIT

1957 Factory Dash w/ Vintage Air

.....#17659......\$7.95/kit



1957 AIR DUCT-TO-INNER **FENDER SEALS**

1957......\$9.95/pr.



This seal is located between the heater distributor assembly and the dashboard vent assembly. Without it the defrost function on the heater will not operate.

1957......#796......\$10.95/ea.



CLUTCH HEAD SCREWDRIVERS

This 4-piece set should cover all your needs when restoring your classic Chevy.





1957 FRESH AIR INLET SLEEVES


These sleeves seal the connection between the front duct assembly

and the rear duct and valve assembly. Made in the USA. 1957.....#326......\$10.95/pr.










RADIATOR IN 6-CYL. POSITION

RADIATOR IN V8 POSITION

CORE SUPPORT

Mounts behind the core support between the core support and the engine inside the engine compartment.



RADIATOR IN V8 POSITION

CHROME STEEL OR BLACK POWDER COATED STEEL FAN SHROUDS

The best of the best! We pulled out all the stops and made these the way Chevy would have. These beautiful shrouds are made from top quality thick steel, powder coated black or chrome finished and are custom fit for your application. With an 18¾-inches opening you'll have no trouble with fan clearance. Made in the USA. US Patent D675,724S. 1955-57 V8 in 6-Cvl. Core Sunnort, Black Shroud #16625 \$129 95/ea

1955-57 V8 in 6-Cyl. Core Support, Chrome Shroud, Black Brackets	. #16625C	\$249.95/ea.
1955-57 V8 in Stock Position, Black Shroud	. #16626A	\$129.95/ea.
1955-57 V8 in Stock Position, Chrome Shroud, Black Brackets	. #16626C	\$249.95/ea.
1955-57 Chrome Brackets for #16626C	. #16626B	\$69.95/pr.

1955-57 V8 in 6-Cyl. Position, when using #11236 6-Cyl. Position Conversion Brackets, Black Shroud

.....#16627A......\$139.95/ea. 1955-57 V8 in 6-Cyl. Position, when using #11236 6-Cyl. Position Conversion Brackets, Chrome Shroud,



BLACK MAGIC S-BLADE FAN

Flex-a-lite Black Magic Fans use a lightweight one-piece nylon shroud with full-contact rubber seal mounts as a puller behind radiator. Flex-a-lite Black Magic fans have a rigid bracket system which means no through-core mounting. Great cooling for higher horsepower applications. Includes adjustable thermostat with air conditioning relay, reversible. Measures 16-inches x 18-inches x 4¹/4-inches. All 3000CFM #18026.... \$319.95/ea.



Flex-a-lite*

BLACK MAGIC EXTREME ELECTRIC FAN KIT

The Flex-A-Lite Black Magic Xtreme fan out performs typical cage fans by 45%-50%, and provides consistent cooling regardless of engine speed. Get more power and better mileage by replacing your stock fan. Includes adjustable thermostat, air conditioning relay and manual switch. Available in puller version only. Recommended for 6-cylinder position radiators. Measures $21^{1}/_{2}$ -inches x $17^{1}/_{2}$ -inches x $4^{3}/_{16}$ -inches. Please check and verify clearance before placing order.

All w/ Relay & Thermostat, 3300 CFM

.....#13452.....\$341.95/kit



FAN MOUNTING BRACKETS

These brackets give you the extra mounting surface sometimes needed when your radiator is in the 6-cylinder position and you are installing a universal electric fan with a built in shroud like #13452 or #18026 shown at left. **Made in the USA.**

1955-57 #11236A.....\$74.95/pr.





ELECTRIC, VARIABLE SPEED FAN CONTROL

Sets fan speed from 60%-100% depending on thermostat setting. Reduces charging spikes and current load. Runs your cooling fans 30 seconds after your car is turned off to reduce heat soak.

All.....#13459....\$179.95/ea.



Please check and verify clearance before placing order. 1955-57#12164...... \$79.95/ea.



Use this switch as a manual override, regardless of thermostat setting, to turn on or off your cooling fan.

All Illuminated #13460 \$24.95/ea.



This relay automatically engages the fan when the air conditioning is turned on.

All......#13458......\$23.95/ea.



PAINLESS FAN-THOM II ELECTRIC FAN CONTROL KITS

Fan-Thom fan controls offer you clean, simple and safe fan controller for your electric fans. The supplied thermostat threads into the engine or cooling system for a professional installation.

All 200° #14615 \$58.95/kit Note: Turns fan on at 200° & off at 185°.

All 185° #14616 \$53.95/kit Note: Turns fan on at 185° & off at 170°.

DAKOTA DIGITAL **PROGRAMMABLE FAN CONTROLLER** WITH LED READ-OUT

This fan controller

is programmable and will work with either single or dual fan applications. Set what temp the fan(s) turn on/off as well as having the fans stay on for up to five minutes after the engine is shut down. Digital temp readout makes set up a breeze and it will work with your existing temp gauge and sending unit. Intended to be mounted in cabin. Do not mount in engine compartment.

All#15123.....\$139.95/ea.

ELECTRIC FAN RELAY KIT

This fan relay kit can be used either manually or in conjunction with a temperature sending switch. Designed for use with a fused



power source. Full instructions for both the switched and manual operation are included.

All.....#12344......\$25.95/kit



Flex-a-lite FAN SPACERS

1955-57	1/2"	#12165	\$18.95/ea.
1955-57	1"	#12166	\$18.95/ea.
1955-57	2"	#12167	\$21.95/ea.



VINTAGE AIR DUAL FAN PACKAGES

Vintage Air designed these specifically to help cool Tri-Five's with cooling problems, and they got it right! These dual electric fan packages are just the thing for those hot summer days cruising at 2 MPH as you don't need any forced airflow, the fans do all the work! The #17011 features two 11-inch 5-blade fans which pull a whopping 2750 CFM of air. Motor thickness is 4.250 and the fan thickness is 2.60 which means it will fit almost anywhere.

1955-57 6-Cyl. Position w/ Controls	#17010	\$422.95/ea.
1955-57 6-Cyl. Position w/o Controls	#17011	\$299.95/ea.

Flex-a-lite*

S-BLADE ELECTRIC FANS

These S-Blade fans can be used as a primary or auxillary fan. The 16" Syclone pulls 2500CFM which makes it strong enough to replace your belt driven fan, freeing up horsepower and increasing mileage. Both



fans are reversible (push/pull). Please check and verify clearance before placing order.

All 16", Syclone, 2500 CFM w/o Relay & Thermostat #12168..... \$169.95/ea.

ELECTRIC FAN TEMPERATURE SWITCH

This fan switch is just the thing for controlling those high dollar electric fans you installed. Or maybe you just need a replacement for a unit gone south. This switch installs in the cylinder




head or the intake manifold and triggers an electric relay. Turns on at 195° and off at 180° and is 3/8" NPT electric fan switch. **Made in the USA.**

All 3", ON 195/OFF 180...... #19005...... \$26.95/ea.

DERALE PWM FAN CONTROLLER

Derale Performance is changing the rules of engine temperature control with the smart technology of their patented PWM Fan Controller. The controller monitors your engine temperature via the cool side of the radiator, therefore providing a more




All Variable Speed #18483 \$219.95/ea.

COLD-CASE RADIATORS OF

COLD-CASE radiators are original appearing and have the correct stampings. They are 100% TIG welded aluminum and feature polished OE style upper and lower tanks and dual 1-1/4" tubes in a core that has 16 fins per inch for superior cooling. The corrugated fins give more surface area and more thermal transfer. Fully pressure tested, these radiators will work for both manual and automatic transmission applications. Danchuk # 18914 is a 1955-1957 direct fit radiator that mounts in the V8 position, # 18915 is a 1955-1956 direct fit radiator that mounts in the 6-cylinder position and # 18916 is a 1957 direct fit radiator that mounts in the 6-cylinder position.

1955-1957 V8	#18914	\$399.95/ea.
1955-1956 6-Cylinder	#18915	\$399.95/ea.
1957 6-Cylinder	#18916	\$399.95/ea.




COLD-CASE RADIATORS WITH FAN AND SHROUD **WS**

COLD-CASE radiators are original looking and have the correct stampings. They are 100% TIG welded aluminum and feature polished OE style tanks and dual 1-1/4" tubes in a core that has 16 fins per inch for superior cooling. The corrugated fins give more surface area and more thermal transfer. Fully pressure tested, these radiators will work for both manual and automatic transmission applications. These kits includes an aluminum fan shroud and a 16" electric fan rated at 2500 CFM. The parts #18917 and #18918 are direct fit radiators that mount in the 6-cylinder position. The #18919 is a V8 radiator with a fan shroud kit that mounts in the 6-cylinder position using part #11236 adapter brackets. Although the #18919 radiator is a direct fit unit, there is not enough room to mount this on the V8 side of the core support with the shroud and fan, so it must be mounted in the 6-cylinder position with required part #11236 brackets. All 3 part numbers require part #18920 or similar electric fan wiring kit.



1955-56 w/ Fan and Shroud, 6-Cylinder Mounting Position	#18917	\$549.95/ea.
1957 w/ Fan and Shroud, 6-Cylinder Mounting Position	#18918	\$549.95/ea.
1955-57 w/ Fan and Shroud. V8 Position	#18919	\$549.95/ea.





For the customer who has already installed a Cold-Case radiator and now wants to add one of their shrouds and fan kits, we now carry both the shroud and fan separately. For part # 19879, installation will require moving the radiator to the 6-cylinder positon with part #11236 conversion brackets. There is not enough room between the water pump and the radiator for istallation of this shroud and an electric fan. Use part #18978 electric fan. Note: If your radiator is mounted on the engine side of the core support, you have a V8 core support. If it is mounted on the grille side of the core support, then it's a 6-cylinder support, please check before ordering. If you are in doubt as to what you need please call our Customer Service Department at 800-854-6911 for assistance.

1955-57 V8 Pos. Radiators #18976 \$79.95/ea. 1955-57 6-Cyl. Pos. Radiators #18977 \$79.95/ea.

COLD-CASE RADIATOR CAP

This billet Cold-Case radiator cap is just the thing to cap off your Cold-Case radiator installation. Push on style fits Cold-Case radiators ONLY. Not suitable for use in vehicles using a stock heater core.



All 16 lb......#18921......\$24.95/ea.



COLD CASE 16" ELECTRIC FAN

1955-57 2500 CFM #18978 \$79.95/ea.



COLD-CASE ELECTRIC FAN WIRING KIT

Designed to easily install the Cold-Case radiators with fan and shroud. Includes wiring, thermostat and relay. Turns fans on at 190 degrees.

AII......#18920.....\$89.95/ea.





BE COOL RADIATORS

An OEM radiator just isn't designed to cool a high-horsepower engine, and overheating can take the fun out of driving your classic very quickly. Now, Be Cool has your answer. A high-quality Be Cool radiator will not only lower your temp, but their technology produces radiators that are 40% lighter than copper brass OEM units. Their epoxy free construction provides better heat dissipation while allowing complete repairability. Available in standard finish or polished. Installation note: 1957 6-Cylinder installs will need to modify the hood baffle for clearance of the inlet, all Be Cool radiators use dual 1-inch cores.



BE COOL ALUMINUM DOWNFLOW RADIATORS OVS

When mounting in the 6-cylinder position on 1957's, the hood baffle may require modifications.

1955-57 Standard, V8 & 6-Cyl. Position

.....#13762....\$599.95/ea.

1955-57 Auto, V8 & 6-Cyl. Position

.....#13763....\$699.95/ea.

1955-57 Standard, V8 & 6-Cyl. Position, Polished

......#13772.....\$749.95/ea.

1955-57 Auto, V8 & 6-Cyl. Position, Polished

......#13773.....\$829.95/ea.

BE COOL OF V8 POSITION RADIATORS OVS

What's that you say? You want a vintage radiator design produced with today's technology? By customer demand Be Cool has expanded their industry proven product line with their Be Cool OE series radiators. Be Cool OE series radiators combine a modern aluminum core design with the factory fit, finish and correct-appearing ribbed factory tank design of a stock OE radiator. Your HIGHER than factory-rated horsepower classic Chevy won't overheat with a Be Cool OE series radiator!

1955-57 Black, Aluminum, Standard, V8 Position

.....#16916.....\$649.95/ea.

1955-57 Black, Aluminum, Auto, V8 Position

.....#16917.....\$699.95/ea.



BE COOL ALUMINUM CROSSFLOW RADIATORS **US**

1955-57 Standard	#13764	\$599.95/ea.
1955-57 Auto	#13765	\$699.95/ea.
1955-57 Standard, Polished	#13774	\$749.95/ea.
1955-57 Auto, Polished	#13775	\$829.95/ea.
1955-57 Standard, LS	#17526	\$699.95/ea.
1955-57 Auto, LS	#17527	\$799.95/ea.
1955-57 Standard, Polished, LS.	#17528	\$799.95/ea.
1955-57 Auto, Polished, LS	#17529	\$849.95/ea.



ALUMINUM CROSSFLOW RADIATOR CONVERSION MODULES **OVS**

Be Cool's Super Street Series Power Cooling Module assemblies are designed to cool vehicles with up to 700 dynorated horsepower. Each kit contains a Be Cool aluminum dual 1-inch core crossflow performance radiator with oval fluted tubes, a dual 11-inch electric puller fan set with vented shroud for highway cruising, a set of fan mounting brackets with hardware, a diamond cut, vented coolant recovery tank, a primary fan wiring harness with a 40 amp relay, a secondary wiring harness to independently control the second fan and to top it all off a Be Cool billet radiator cap. Available in standard finish or polished. Picture is representation only. 1955-57 radiator is slightly different.

1955-57 Standard	#13758	\$1199.95/ea.
1955-57 Auto		
1955-57 Standard, Polished		•
1955-57 Auto. Polished		•







modules. Each system comes fully polished and completely

assembled with an aluminum core support, radiator, recovery and reservoir tanks and chrome plated fan shroud with aluminum motor covers. Kits are available with or without air conditioning condenser and with or without integral transmission coolers. Special order item. Drop shipped by vendor. Everything you need to keep your hot rod cool. Be sure to order enough BeCoolant, part #15562 on page 681, to properly protect your investment.

1955 Auto w/ A/C	#15521	\$3899.95/ea.
1956 Auto w/ A/C	#15522	\$3899.95/ea.
1957 Auto w/ A/C	#15523	\$3899.95/ea.
1955 Auto w/o A/C	#15524	\$3899.95/ea.
1956 Auto w/o A/C	#15525	\$3899.95/ea.
1957 Auto w/o A/C	#15526	\$3899.95/ea.
1955 Standard w/ A/C	#15527	\$3699.95/ea.
1956 Standard w/ A/C	#15528	\$3699.95/ea.
1957 Standard w/ A/C	#15529	\$3699.95/ea.
1955 Standard w/o A/C	#15530	\$3699.95/ea.
1956 Standard w/o A/C	#15531	\$3699.95/ea.
1957 Standard w/o A/C	#15532	\$3699.95/ea.

DESERT COOLER RADIATORS TO US

They drop right into your favorite Tri-Five and feature the lastest cooling technology. V8 owners can choose from either standard or high-efficiency styles. High-efficiency models are recommended for air conditioning and performance applications. Each unit includes side shims, transmission line fitting, petcock and drain hose making for an easy instalation. If the radiator is mounted on the engine side of the core support, you have a V8 core support. If it's on the grille side, then it's a 6-cylinder support. Radiators fit both standard and automatic transmission equipped cars. Don't forget to order a fan shroud, parts #16625-16627C on page 372 for the best in cooling performance. Made in the USA.

1955-57 V8 Position, 4-Row	#399 .	\$482.95/ea.
1955-56 High-Efficiency, 3-Row, 6-Cyl. Position	on	

.....#336\$472.95/ea. 1955-57 High-Efficiency, 4-Row, V8 Position....#337\$489.95/ea.

1955-56 High-Efficiency, 4-Row, V8 in 6-Cyl. Position#12072 .\$466.95/ea.

1957 Hi-Efficiency, 4 Row, V8 in 6-Cyl. Position.#12072A\$466.95/ea.







U.S. RADIATOR ALUMINUM **CROSSFLOW RADIATORS**



Crossflow conversion radiators from US Radiators feature dual 1-inch tubes and have a fully welded construction and come in standard finish or fully polished. Radiators are available in either standard or auto versions and can be ordered with or without fans. Fan controller sold

separately.		
1955-57 w/ Fans, Auto	#17861	\$749.95/ea.
1955-57 w/ Fans, Standard	#17862	\$749.95/ea.
1955-57 w/ Fans, Polished, Auto		
1955-57 w/ Fans, Polished, Standard	#17864	\$847.95/ea.
1955-57 w/o Fans, Auto		
1955-57 w/o Fans, Standard	#17866	\$423.95/ea.
1955-57 w/o Fans, Polished, Auto		
1955-57 w/o Fans, Polished, Standard		· · · · · · · · · · · · · · · · · · ·



U.S. RADIATOR DOWNFLOW ALUMINUM RADIATORS TO THE OWN TO THE OWN THE OW

Aluminum Downflow radiators feature fully welded construction (no epoxy) and dual 1" tubes. Radiators are available in either a standard or Tripleflow configuration. Tripleflow radiators achieve the maximum temperature drop by creating walls which force the coolant to pass through the core three times resulting in greater temperature reductions. Aluminum radiators do not have transmission coolers. An auxiliary cooler will be required so be sure to check out our transmission coolers starting on page 517. When mounting #13274 the hood baffle may require modification on '55-'56 application. All triple flow radiator upper inlets are on driver side of top tank. Don't forget to order a fan shroud, parts #16625-16627C on page 372 for the best in cooling performance. Made in the USA.

1955-57 V8	#13262	.\$498.95/ea.
1955-57 V8, Triple Flow	#13266	.\$582.95/ea.
1955-56 V8 in 6-Cylinder Position		=
1955-56 V8 in 6-Cylinder Position, Triple Flow		=



CHAMPION ALUMINUM RADIATORS 0/5

We are proud to offer you Champion Radiators, the latest and greatest in aluminum radiators. All of the radiators that we carry are 100% aluminum from the tank, core, and welds with no epoxy, and come with three rows of 34-inch tubes. All Champion radiators are equipped with a transmission cooler.

55-56	6-CvI	Position	Std-Auto
JJ-JU	U-GVI.	rusitiuii	Jiu-Auiu

\$299.95/ea.
\$419.95/ea.
\$299.95/ea.
\$419.95/ea.

AMERICAN EAGLE ALUMINUM RADIATORS OF

American Eagle Radiators are made with the same high level of quality that the Champion cooling system radiators. They feature the same billet fill necks and no epoxy. All American Eagle radiators feature 2.25" thick core with two 1-inch tubes and a transmission cooler.

1955-57 V8 Position Std-Auto..... #17713..... \$249.95/ea. 1955-57 V8 Position Std-Auto, Polished

.....#17714.....\$319.95/ea.





GRIFFIN ALUMINUM RADIATORS 0/S


These HP series radiators feature a high efficiency core with two 1.25" tubes, and a core thickness of 2.75". Aluminum radiators include side shims, transmission line fittings, petcock and drain hose. Radiators fit standard and automatic equipped cars and are compatible with Danchuk fan shrouds, parts #16625-16627C on page 372.

1955-57 V8	#733	\$719.95/ea.
1955-56 6-Cyl	#734	\$719.95/ea.
1957 6-Cyl	#735	\$699.95/ea.

HOT RODS BY DEAN COOLING MODULES **O**/S


These cooling system modules by Hot Rods by Dean are a complete cooling solution for your Shoebox Chevy. The clean and simple all steel core support is black powder coated and installs in the factory location. This design moves the radiator and fans forward providing the maximum amount of engine compartment space to clear any engine with any serpentine pulley system. The high efficiency single-pass cross-flow radiator has a heavy duty 2.5-inch aluminum core running two 1" tubes. The system comes with a custom mounted overflow tank, 16 lb. polished aluminum radiator cap, dual Maradyne 14-inch high performance electric cooling fans (2135 CFM each), fan relay harness with 185 degree thermostat, dual fan relay, aluminum fan mounting bracket and stainless fasteners. They even include the custom hood latch assembly and hood support with brackets that you need for 1955 applications because these units move the tradiator forward for extra room in the engine compartment. Comes completely assembled with installation instructions. Shown in powdercoated red but delivers in powdercoated black only. Special order item. Made in the USA.

1955 Standard, Satin	#17925	\$2995.95/ea.
1955 Standard, Polished		
1955 Standard, w/ AC, Polished		
1955 Standard, w/ AC & PS, Polished		-
1956 Standard, Satin		•
1956 Standard, Polished		-
1956 Standard, w/ AC, Polished		•
1956 Standard, w/ AC & PS, Polished		-
1957 Standard, Satin		-
1957 Standard, Polished		•
1957 Standard, w/ AC, Polished		•
1957 Standard, w/ AC & PS. Polished		•



RADIATOR BUG SCREEN

If you show your daily driver or drive a show car daily, these bug screens are a must. Easy to install and remove. 1955-57 #2871 \$24.95/ea.



RADIATOR SUPPORT TO FENDER SHIM KITS

These install between the ends of the core support upper bar and the inner fenders. They are used to fine tune the alignment of the front fenders. Hardware included.

1955-5	56	#1168	\$10.95/ea.
1957 (Shown)	#1169	\$12.95/ea.

1957 RADIATOR CORE SUPPORT **WIRING GROMMET**

This grommet installs in the radiator filler panel. The connector for the grille bar harness to the main underhood harness fits here.



1957..... #357..... \$5.95/ea.





RADIATOR CONVERSION BRACKETS

Allows you to mount a V8 position radiator into the 6-cylinder position of a V8 core support. Made in the USA. 1955-57#11236......\$54.95/pr.



RADIATOR SUPPORT TO FRAME SHIMS

This kit is used used with the core support rubber cushions #604 to attach lower section of the radiator core support to the frame bracket.

1955-57 #1167....... \$13.95/ea.



RADIATOR CORE SUPPORT RUBBER CUSHIONS



These cushions are used used with the radiator support to frame shims, #1167, shown above, to attach lower section of the radiator core support to the frame bracket. Made in the USA.

1955-57 #604........\$13.95/pr.

RADIATOR SUPPORT **WIRE HARNESS CLIP**

This clip installs on the radiator cross bar and supports the wiring harness. 3-6 clips needed per car.



1955-57 #12333 \$0.95/ea.

SEE PAGES 541-544 FOR RADIATOR CORE SUPPORTS, FILLER PANELS, SUPPORT BARS, AND STRAP ASSEMBLIES.





CHROME RADIATOR COVERS

The first thing they see when lifting the hood is the radiator. Nothing can dress it up better than our chrome radiator covers. Make your engine compartment shine! **Technical Note:** As to not detract from the show quality, our radiator covers are sealed. To access radiator cap, cover needs to be removed. Note: These are for hood up show display only. Must be removed before closing hood or driving. **Made in the USA.**

1955-57 w/ Shroud, Pyramid Peak	#2709	\$249.95/ea.
1955-57 w/ Shroud, Louvered		
1955-57 w/ Shroud, Ribbed		•
1955-57 Lower, Louvered		•
1955-57 Lower, Ribbed		•







EVANS COOLANT ANALOG REFRACTOMETER

AII......#18595......\$29.95/ea.

EVANS WATERLESS HIGH PERFORMANCE COOLANT SYSTEM

Evans High Performance Waterless Coolant is specifically designed for all modern, classic, and vintage engines. Evans HPC has a boiling point of 375° F while protecting down to -40° and will not vaporize; eliminating boilover and after-boil preventing coolant loss and reducing strain on cooling systems. Since Evans contains no water it effectively eliminates corrosion and minimizes the potential for electrolysis and reduces maintenance costs. When converting an engine from water-based coolant to HPC, great care should be given during the conversion process to ensure that all the old water-based coolant is removed. It is recommended that the system be flushed with Evans Pre-Fluid (part #18460) before installing Evans HPC. When the conversion process is complete, the water content should be no more than 3%. Made in the USA.

EVANS WATERLESS HIGH PERFORMANCE COOLANT

All 1-Gallon......#18459......\$46.95/ea.

EVANS WATERLESS COOLANT PREP FLUID

All 1-Gallon......\$32.95/ea.



BILLET SPECIALTIES SMOOTH OVERFLOW TANKS

The Billet Specialties overflow tanks are the best on the market. Precision machined from 6061 T-6 billet aluminum and polished to the famous Billet Specialties standards A spring style clamp was original equipment on all 1955they feature two adjustable polished billet mounting straps for precise alignment.

Product Features:

- Knurled O-ring cap for a no-leak seal
- Stainless hardware included
- Aluminum push-on fittings included
- Industry leading mirror finish polish
- Internal return tube

All 8.75"	#17096	\$149.95/ea.
All 8.75", Black	#19307	\$142.95/ea.
AII 13"	#17094	\$124.95/ea.
AII 15"	#17095	\$124.95/ea.



POLISHED STAINLESS STEEL **COOLANT OVERFLOW TANK**

This polished stainless steel overflow tank was designed to be kept out of view but it's so beautiful you'll want to show it off. One quart capacity tank with a precision knurled cap and a highly polished finish. Approximately 18-3/4" long, mounting hardware included.

AII.....\$39.95/ea.

RADIATOR HOSE CLAMP

1955-57	#12163	\$1.95/ea.
---------	--------	------------



RADIATOR AND HEATER HOSE CLAMPS

1957 Chevy models. Made in the USA.

1955-56	#398	\$9.95/set
1957	#398A	\$23.95/set



In-Line hose adapters provide a threaded fitting for temp senders or fan switches. Features two 1/4-inch threaded ports for sending units.

All 1-1/2", Upper	#15055	. \$49.95/ea.
All 1-3/4", Lower	#15056	. \$54.95/ea.



RADIATOR ZINC ANODE

Installs in place of petcock and protects the cooling system from corrosion.

All 1/4" NPT #14845 \$11.95/ea.





STEP UP/DOWN RADIATOR HOSES

With all the different engine and radiator combinations that are being put in classic Chevy's these days sometimes the inlets and outlets don't always match up to the current offering of radiator hoses. These tapered radiator hoses are made of silicone for years of service and are great when a custom application requires custom hoses. Great when using tubing/hose combinations on late model engine and radiator installs.

All 1-1/4" to	1-3/4"	#17773	.\$21.95/ea.
All 1-1/4" to	1-1/2"	#17772	\$21.95/ea.

FLEXI-KOOL RADIATOR HOSE KITS

Flexi-Kool Hose kits are made of ribbed stainless steel which won't freeze or crack. Flexi-Kool hoses ribbed design improves cool-



ing which helps prevent overheating and possible engine damage. Hoses can be formed to any angle or length while reducing installation time and maintenance costs. No longer do you have to search to find a hose that you can make work. Just order a Flexi-Kool hose kit for downflow or crossflow radiator conversions and you know you'll have the right hose all the time. 48" hose kits make two hoses. Matching Flexi-Kool heater hoses are shown on page 368. All 24", Chrome, w/ Chrome Caps . #12413......\$49.95/kit All 48", Chrome w/ Chrome Caps . #12504......\$69.95/kit

SILICONE HOSE RADIATOR PLUMBING KIT

This reinforced silicone radiator plumbing kit includes two 90° elbows, one 45°elbow and one 6-inch straight connector along with



one 6-inch aluminum connector and one 45° aluminum connector.

All.....#17013......\$89.95/kit



SHOW QUALITY RADIATOR HOSES

These radiator hoses are correctly numbered with the GM codes used in 1955, 1956 and 1957. These are the hoses for detail-oriented collectors and anyone seeking to restore the original factory look to their engine compartment. Original style spring clamps are included.

1955-57 V8, Upper Hose	#044A	\$22.95/ea.	
1955-57 V8, Lower Hose	#045A	\$22.95/ea.	
1955-56 6-Cyl., Upper Hose	#046B	\$21.95/ea.	
1957 6-Cyl., Upper Hose	#046A	\$26.95/ea.	
1955-57 6-Cyl., Lower Hose	#047A	\$28.95/ea.	
1956-57 Dual 4BC & F.I., Upper Hose(Not Shown)			
	#2559	\$43.95/ea.	



RADIATOR HOSES

Made with the same quality materials as our show quality hoses, but priced for the budget-oriented daily driver. For the 1957 6-Cylinder upper hose, see show quality hoses, above.

1955-57 V8, Upper Hose	#044	\$17.95/ea.
1955-57 V8, Lower Hose	#045	\$19.95/ea.
1955-56 6-Cyl., Upper Hose	#046	\$17.95/ea.
1955-57 6-Cyl., Lower Hose		
1955-57 V8 in 6-Cyl. Pos., Lower.		
1955-57 Upper, Trim to Fit X-Flow		
1955-57 Lower, Trim to Fit X-Flow		-

RADIATOR PETCOCK WITH HOSE The same brass

#141









RADIATOR CAPS

Fits the Desert Cooler® radiator or any other 1955-1957 radiator application. 7-pounds for stock cooling systems or 13-pounds pressure capacity for aluminum radiators with Vintage Air systems.

1955-57	7-lb	#141	\$10.95/ea.
1955-57	13-lb	#12160	\$7.95/ea.





RADIATOR CAPS WITH BE COOL LOGO

A great way to top off your cooling system upgrade. These Be Cool billet radiator caps, besides being great looking, are designed to allow the use of a coolant recovery system where needed.

All Round Style	#13776	\$49.95/ea.
All Octagon Style	#13777	\$49.95/ea.

conversion if you have air conditioning in your classic.

BILLET SPECIALTIES POLISHED BILLET RADIATOR CAPS

These Billet Specialties radiator caps are CNC machined from 6061 T-6 billet aluminum. They are a two piece design so you can align it for maximum effect. Comes complete with a quality Stant 16lb radiator cap hidden under the billet shells which match their overflow tanks. NOTE: 7 lb. caps are for use with original heating and cooling systems made before 1966. 16 lb. caps are for use on modern heating and cooling systems made after 1966. Made in the USA.

All Polished Bowtie, 16-lb	#17105	\$24.95/ea.
All Polished Bowtie, 7-lb	#17106	\$24.95/ea.
All Polished Plain, 16-lb	#17107	\$24.95/ea.
All Polished Plain, 7-lb	#17108	\$24.95/ea.
All Black, Notch Grip 16-lb	#19377	\$38.95/ea.
All Black, Plain Grip 16-lb	#19378	\$26.95/ea.




1955-57#18908......\$649.95/ea.



COMPLETE 134A AIR CONDITIONING UNITS OS

Designed specifically for your classic Chevy. System attaches to existing holes in dash and firewall without drilling. These kits now use the fully electronic GEN IV Sure Fit System, which features an electronic conversion for stock heater control levers which eliminates all control cables. Separate heating and cooling coils and SPAL permanent magnet blower motor gives you maximum capacity and performance. To order, call our customer service department with your application to be sure you are ordering the correct kit. These kits come in three box sets, and two of the three boxes need to be shipped oversized which incurs an extra shipping charge. **Note: The 55 with original 265 V8 with oil filter option requires a special order kit.**

1955-56 #2437 \$1469.95/kit 1957 #2439 \$1469.95/kit



AIR CONDITIONING CONDENSER

For use with Crossflow radiators. Some fitting may be required.





AIR CONDITIONING CLUTCH COMPRESSOR COVERS FOR **SANDEN 508**

Dress up your Sanden 508 air conditioning Compressor with this aluminum clutch cover, hardware included.

All Chrome, SD508	#16542	\$79.95/ea.
All Polished, SD508	#16543	\$79.95/ea.
All Machined, SD508	#16544	\$79.95/ea.



AIR CONDITIONING AND ALTERNATOR BRACKET

All SB, Short Water Pump, Early Style Heads, Black#18200....\$219.95/ea.



BILLET SPECIALTIES

AIR CONDITIONING CLUTCH COVER FOR SANDEN 508

All Polished......#17047......\$47.95/ea.



Matches Front Runner pulleys.

All Plain......\$47.95/kit All Polished......#12545......\$61.95/kit

